

Gujarat Alkalies and Chemicals Limited

(Promoted by Govt. of Gujarat)

Dahej Comples: P.O. Dahej - 392130. Tal. Vagra, Dist. Bharuch (Gujarat) INDIA

Phone: +91-2641-613200

CIN NO: L24110GJ1973PLC002247

ENV/2024-25/D-III/E-28/VK/02

24th December, 2024

To, Ministry of Environment, Forest and Climate Change, Integrated Regional Office-Gandhi Nagar, A-Wing – 407 & 409, Aranya Bhawan, Near CH-3 Circle, Sector-10A, Gandhinagar – 382010

Submission of half yearly compliance report of EC for the period of April-2024 to September-2024.

Ref.: EC issued vide letter no. SEIAA/GUJ/EC/7(d)/482/2020 Dated 05/06/2020.

Dear Sir,

With reference to above, we are enclosing herewith six-monthly compliance report of above ECs for the period of April-2024 to September-2024.

Thanking you, Yours faithfully,

For Gujarat Alkalies and Chemicals Limited-Dahej

S. N. PATEL **DGM** (S, E & F)

Encl: As Above



Regd. Office & Works: P.O. Petrochemicals - 391 346, Dist. Vadodara(Gujarat) INDIA

Phone: +91-265-6111000-7119000 Website: www.gacl.com

GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5th June 2020 for the period: 1st April 2024 to 30th September 2024. Sr No. **EC** conditions **Compliance Status** A.1. SPECIFIC CONDITIONS: Complied. This unit does not carry out any activity in the matter pertaining of M. A. No. 553/2018 with Unit shall no carry out any activity in the matter pertaining of M. A. No. 553/2018 Appeal No. 02 of 2018 (WZ); Brackish Water with Appeal No. 02 of 2018 (WZ); Brackish Research Centre Vs. Gujarat State Environment 1. Water Research Center Vs. Gujarat State Impact Assessment Authority & Ors. Environment Impact Assessment Authority & Ors. The said matter pertains to exclusively for plot no. 3 of GACL-Dahej which is a separate facility and the aforementioned matter is not applicable to this facility. This TSDF site shall be used only for the Complied. purpose of disposal of new sludge to be 2. generated in future at the plants belonging to Only new sludge generated from GACL Dahej complex only is disposed. GACL and its subsidiary company in Dahej Industrial area. Project proponent shall start project activity Complied. only after obtaining the Notification of The said project is captive SLF site and it is located 3. proposed site as per the Hazardous and Other wastes (Management and Transboundary within the notified GIDC industrial estate of Dahej. Movement) Rules 2016. Complied. Currently, following wastes are being disposed at this captive SLF site. Project proponent shall have to provide a 1. GACL Plot-3- Phosphoric Acid Plant chemical laboratory capable of finger printing sludge primarily inorganic in nature, neutral and 4. analysis, mechanized operation stabilized. transportation and handling of wastes with 2. GACL Plot-3- non-hazardous caustic brine trained manpower at Site. sludge. 3. GACL Plot-3- Insulation waste. Analysis of these sludge are being carried out at

GACL established QC laboratory.

Sr No.	EC conditions	Compliance Status
<u> </u>		These sludges are being transported via dedicated GPS mounted vehicle (Mostly Hywa) covered with tarpaulin. Contract is awarded for this requirement.
		15 15 15 15 15 15 15 15 15 15 15 15 15 1
		Sample photograph of vehicle are appended as below.
		Manual handling of waste is eliminated/minimised to the extent possible by way of following mechanized measures and wherever manual intervention is required, it will be arranged through trained manpower.
		 Hywa with hydraulic mechanism are engaged for transporting waste. Poclain is permanently mobilized for unloading waste from Hywa at SLF site.
5	Adequate number of vents shall be installed during post closure period of the cell & monitoring program for emission of vent gases shall be prepared & records shall be maintained.	Complied. At this site neutral, stabilized and primarily inorganic in nature type sludge is being disposed. However, we will install adequate number of vents as per design document during closure period of the cell & monitoring program for emission of vent gases shall be prepared & records shall be maintained.
		Design of SLF pit is endorsed by GITCO-Ahmedabad, who is GPCB authorised schedule-I auditor as well as renowned technical consultant in environment management programme. The document also covers post-closure requirements.
6	Ground water table at the project site shall be ascertained through the GWRDC (Gujarat	Complied.

	GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej		
1	of Six-Monthly compliance of the stipulate GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for th	ed conditions of the Environment Clearance no ne period: 1st April 2024 to 30th September 2024.	
Sr No.	EC conditions	Compliance Status	
	Water Resources Development Corporation) before initiating construction of secured landfill site. The depth of the secured land fill site shall be decided based on the ground water level at the site and bottom of the secured landfill site shall be kept at least 2 m above the ground water table.	Ground water table study was carried out at initial stage of establishment of SLF by KCT consultancy services, who is having NABL accreditation and is a state and central level approved agency for geotechnical investigation. Ground water table is at 7-8 meter below from the surface level and the same was ascertained by	
		GITCO.	
7	Construction of the secured landfill site shall be undertaken meticulously keeping in view the existing natural drainage pattern of the site to ensure that the natural drainage is not affected. All construction designs/drawings relating to the proposed landfill site must have approvals of reputed institutes like NPC / IIT.	Technical design basis relating to the secured landfill site has been reviewed and approved by reputed institute GITCO Ahmedabad, who is GPCB authorised schedule-I auditor as well as renowned technical consultant in environment management programme.	
8	The proponent shall ensure that design and construction of secured landfill site is as per the guidelines of CPCB with proper leachate collection arrangement.	Design and construction of SLF site is in accordance with the guidelines of CPCB with proper leachate collection arrangement.	
9	Project proponent shall have to strictly adhere to and comply with the Guidelines / Manuals published by the different authorities for Construction and safe operation of the Hazardous Waste TSDF sites like (a) Criteria for Landfills (b) Manual for design, construction and quality control of liners and covers of Hazardous Waste Landfills (c) Guideline for proper functioning and upkeep of disposal site (d) Guideline for transportation of Hazardous Waste (e) Guideline for setting up of operating facility along with the instruction and stipulation issued time to time for the safe handling, construction and operating of Hazardous Waste TSDF Sites.	Noted and complying with the requirement. Relevant guidelines/manuals published by the different authorities for construction and safe operation for SLF site have been followed.	
10	Project proponent shall have to follow the Guideline for Transportation, Storage, Handling and Labelling of Hazardous Waste published by CPCB.	Noted and complying with the requirement. GACL has been following the guidelines related to Transportation, Storage, Handling and Labelling of	

Sr No.	EC conditions	Compliance Status
		Hazardous Waste published by CPCB. As an illustration. 1. Dedicated vehicle mounted with GPS and having colour coding are hired for transportation of the waste. 2. Mechanised handling of the waste is ensured to the extent possible and wherever manual intervention is required; it is being ensured through trained manpower. 3. Transportation of waste is done in covered condition.
11	The proponent shall ensure that the transportation of the Hazardous wastes to the TSDF conforms to the norms laid down in the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.	Noted and complying with the requirement. GACL conforms to the norms laid down for the transportation of the hazardous wastes to the SLF. e.g, transportation of waste through GPS mounted dedicated and vehicle accompanied with form no. 9 Trem card.
12	Project proponent shall ensure that wastes with organic content > 5% of degradable organic matters are not disposed in to the landfill. However, required arrangement for collection, treatment and disposal of gases from the secured landfill, if any, shall be provided.	Complied. At this SLF site, wastes generated from GACL Dahej complex are being disposed. The basic characteristic of the waste is primarily inorganic type chemical sludge and non-hazardous brine sludge. The waste is neutral and stabilized.
13	The project proponent shall set up necessary facility for on-site testing of wastes to decide the requirement of treatment if any, before disposal.	Noted for Compliance. Currently, following wastes are being disposed at this captive SLF site. 1. GACL Plot-3- Phosphoric Acid Plant chemical sludge primarily inorganic in nature, neutral and stabilized. 2. GACL Plot-3- non-hazardous caustic brine sludge. 3. GACL Plot-3- Insulation waste. The quality of these sludge uniform, neutral and stabilized and therefore no specific treatment like stabilization/encapsulation is essential before its disposal.

	GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for th	
Sr No.	EC conditions	Compliance Status
		Analysis of these sludge are being carried out at on- site testing facilities established/located at their source of generation and/or testing sometimes carried out at external laboratory.
14	Project proponent shall carry out periodical ground water/soil monitoring in and around the site to check the contamination including TCLP test for heavy metals.	Ground water/soil monitoring is being carried out through NABL accredited and GPCB approved agency M/s Unistar Environment and Research Labs Pvt. Ltd.
15	The third-party assessment on functioning of the TSDF shall be carried out through a reputed institute like NPC, IIT or any academic / research institute of similar repute once in a year and mitigation measures as may be suggested by such institute shall be implemented in consultation with the Gujarat Pollution Control Board.	Compliance is being ensured. GACL will plan and arrange to carry out third party assessment on functioning of the SLF through a reputed institute or any academic / research institute once in a year.
16	All measures shall be taken to prevent soil and ground water contamination.	Double composite liner, as recommended in CPCB guideline, had been followed during construction of SLF cell as a measure to prevent soil and ground contamination. Sample photograph of liner installation at the construction stage of SLF cell is appended as per below for information and ready reference.
17	The project proponent shall submit the detailed study report to Gujarat Pollution Control Board (GPCB) at least once in a year comprising details of percolation rate of surface water, ground water analysis and observations of contamination to soil &	Compliance is being ensured GACL shall arrange to carry out detailed study comprising details of percolation rate of surface water, ground water analysis and observations of contamination to soil & ground water, if any.

Sr No.	EC conditions	Compliance Status
	ground water (If any) and mitigation measures to curb ground water & Soil contamination.	
18	The project proponent shall transport Hazardous waste through authorized dedicated Vehicles with GPS (Global Positioning System) enabled system and in line with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.	GACL ensures transportation of hazardous waste through dedicated vehicles equipped with GPS (Global Positioning System) enabled system and it is in line with the requirement prescribed in the Hazardous and Other Wastes (Management and Transboundary Movement) Rules 2016.
19	All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by M/s. Eco Chem Sales and Services and submitted by project proponent; and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.	All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by Eco Chem Sales and Services and submitted by project proponent and commitments made during presentation before SEAC and proposed in the EIA report are being strictly adhered to as per feasibility realised for current scenario of the site. As an illustration compliance of typical
		 environment protection measures are appended as below for information and ready reference. GPS mounted dedicated vehicle are used for transportation of Hazardous waste. Waste during its transportation is kept covered to avoid leakage or spillage. Usage of hydraulic Hywa is preferred for transportation of hazardous waste that prevent manual handling. Modular STP provided. Periodic monitoring of ground water is carried out at regular interval. etc.
20	Sufficient number of Piezometer wells shall be installed in and around the project site to monitor the ground water quality in consultation with the State Pollution Control Board (SPCB) / CPCB. Trend analysis of ground water quality shall be carried out	Compliance in progress Total 6 monitoring wells have been installed within the landfill site. Analysis of monitoring well is carried out at a frequency of once in month by NABL accredited and GPCB recognised agency

GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5th June 2020 for the period: 1st April 2024 to 30th September 2024. Sr No. **EC** conditions **Compliance Status** each season and information shall be M/s Unistar Environment and Research Labs Pvt. submitted to the SPCB and the Regional Office of MoEF&CC. Complied Pre-medical check-up of workers is done at the Pre-medical check-up to be carried out on time of employment. Periodic medical examination workers at the time of employment and 21 of the workers is also followed. regular medical record to be maintained. Record of pre-medical check-up and periodical medical examination are maintained. **Complied** PP shall strictly adhere with the undertaking submitted by Executive director GACL vide Currently, following wastes are being disposed at dated 07/03/2020 regarding this is an this captive SLF site. independent project site (TSDF site) and not 1. GACL Plot-3- Phosphoric Acid Plant chemical 22 having connection with existing GACL sludge primarily inorganic in nature, neutral and complex and hazardous and non-hazardous stabilized. solid waste shall be accepted from the plant 2. GACL Plot-3- non-hazardous caustic brine belongs to GACL and its subsidiary sludge. company located at Dahej. 3. GACL Plot-3- Insulation waste. Noted and complying with the requirement Continuous monitoring of proposed We are carrying out regular monitoring of SLF site 23 TSDF/SLF shall be carried out as per through NABL accredited and GPCB recognised GPCB/CPCB guidelines. third party agency M/s Unistar Environment and Research Labs Pvt. Ltd. A.2. WATER: Total water requirement for the project shall **Complied** not exceed 137 KLD. Unit shall reuse 7 KLD treated wastewater. Hence, the total fresh Total fresh water requirement for this site is meet water requirement shall be 130 KLD and it through GIDC water supply only and is not 24 shall be met through GIDC water supply exceeding 130 KLD. only. Prior permission from the concerned authority shall be obtained before withdrawal of water. **Complying with the requirement** Water meter shall be installed and its records 25 of daily water consumption shall be Water meter has been installed in the GIDC water

supply network.

maintained.

Sr No.	EC conditions	Compliance Status
22 1100	20000000	Complied
26	Adequate leachate collection system shall be provided to collect the leachates at a collection point.	Adequate leachate collection system is provided as per design document to collect the leachates at a collection point. Adequacy of leachate collection system is endorsed by M/s. GITCO Ahmedabad.
		Complied
	Waste water generation from the Floor/vehicle washing and Leachate well shall not exceed 83.3 KLD. Entire effluent	Referring to the design features of SLF as recommended by NPC, the entry and exit of the dumpers inside the pit is practically not possible. The dumpers simply station at the boundary of the SLF pit and unload the sludge by tilting mechanism with the application of hydraulic jack and therefore, the tyres do not get in contact with the waste. Hence, waste water is not generated due to vehicle washing.
27	shall be treated in-house in ETP having primary treated and then treated effluent shall be sent to CETP Dahej for further treatment and disposal after ensuring that it meets with the CETP inlet norms prescribed by GPCB.	You may refer sample photograph of the SLF pit is as below. From the photo, it is obvious that vehicle can't enter into the SLF pit. Further, we have obtained drainage release order from GIDC for further disposal of treated effluent to CETP Dahej.
28	Domestic wastewater generation shall not exceed 8 KL/day for proposed project and it shall be treated in STP. Treated sewage shall be utilized for gardening and plantation purpose within premises after achieving onland discharge norms prescribed by the	Noted and compliance is ongoing. This site is under development stage and current utilization is up to 20% of its total capacity.
	land discharge norms prescribed by the GPCB.	Domestic waste water generation is very limited and currently it is being disposed through soak pit.

SEIAA/	GUJ/EC/7(d)/482/2020 dated 5th June 2020 for t	ne period: 1st April 2024 to 30th September 2024.
Sr No.	EC conditions	Compliance Status
		Modular STP of 3 KLD is procured and provided at site. However, it will be put into use once sufficient manpower is mobilised at site.
29	During monsoon season when treated sewage may not be required for the plantation / Gardening / Green belt purpose, it shall be stored within premises. There shall be no discharge of waste water outside the premises in any case.	Noted and compliance is ongoing. Currently sewage is being disposed through soak pit. Modular STP of 3 KLD is provided. It will be put into operation once stuffiest manpower is mobilised at site.
30	Unit shall provide buffer water storage tank of adequate capacity for storage of treated waste water during rainy days.	Complied. We have obtained CETP membership for disposal of treated waste water hence requirement of buffer water storage tank is not envisaged.
31	Enough care shall be taken to prevent any leakages/accidental spillages during conveyance of the leachate from the leachate well to Leachate collection tanks and finally to ETP.	Complied. Leachate from leachate well is pumped to ETP in closed circuit. Permanent piping network is provided.
32	A proper operation logbook containing records of quantities and qualities of leachate from secured landfill site, floor/vehicle washing waste water, disposal of effluent etc. shall be maintained and furnished to the GPCB from time to time.	Noted for Compliance. Treated effluent will be disposed into GIDC pumping station. Currently, only 1st SLF Pit is at its full utilization. However, leachate generation is very minimal and is stored in Leachate well.
A.3. AII		T
33	Unit shall provide adequate APCM with flue gas generation sources as mentioned below: Sr.	Complied.
<u>i</u>	D.G. Set PM, Sox & Adequate 1 (100 11 HSD 636 NOx Stack kVA)	

	GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for th	
Sr No.	EC conditions	Presently as per current requirement we have
		installed DG set of 50 KVA only. DG set is
		provided with adequate height stack. There is no building surround the location of DG set. Sample
		photograph is appended as below for information
		and ready reference.
		Complied.
34	Fuel consumption in DG set shall be as mentioned above.	Presently as per current requirement we have installed DG set of 50 KVA only.
		Fuel consumption is not exceeding the stipulated limit.
		Complied
35	Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	DG set provided at site is confirming to the Noise limit for DG set up to 100 KVA – 75 dB(A).
		DG set is provided with integral acoustic enclosure at the manufacturing stage itself.
36	The flue gas emission from D.G. Set shall conform to the standards prescribed by GPCB. At no time, the emission levels shall go beyond the stipulated standards.	Presently as per current requirement we have installed DG set of 50 KVA only.
	Regular monitoring of ground level	Complied
	concentration of SO2, NOx, PM10, PM2.5 and VOC shall be carried out in the impact	Ambient air quality monitoring is being carried out
37	zone and its records shall be maintained. Ambient air quality levels shall not exceed	through NABL accredited and GPCB approved agency M/s Unistar Environment and Research
	the standards stipulated by the GPCB. If at any stage these levels are found to exceed the prescribed limits, necessary additional	Labs Pvt. Ltd. Measured values are well within the limit.

GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5th June 2020 for the period: 1st April 2024 to 30th September 2024. Sr No. **EC** conditions **Compliance Status** control measures shall be taken immediately. The location of the stations and frequency of monitoring shall be decided in consultation with the GPCB. Complied All transporting routes within the premises 38 shall have asphalt roads to minimize fugitive Transporting route surrounding SLF pit is provided emission. and is "pucca" road. A. 4. SOLID / HAZARDOUS WASTES: Complied The proponent shall ensure that the TSDF Design and construction of secured landfill site is fulfils all the provisions of the Hazardous as per the guidelines of CPCB with proper leachate and Other Wastes (Management and collection arrangement. 39 Transboundary Movement) Rules 2016 and GACL is conforming to the norms laid down for the design and construction of secured the transportation of the Hazardous wastes to the landfill site is as per the guidelines of CPCB SLF. As an example, we are transporting landfilling with proper leachate collection arrangement. waste through GPS mounted dedicated vehicle accompanied with form no. 9 TREM card. **Noted for compliance** The site is under development stage, only 02 phases are operational and transportation and disposal of waste to this site during the monsoon Temporary hazardous waste storage area 40 having impervious bottom and roof cover season is restricted. shall be provided as proposed. Requirement of temporary hazardous waste storage area may be planned and developed at successive stage if required/need arise. **Complied** The project proponent shall not store the hazardous wastes more than the quantity that 41 Hazardous wastes is not stored more than the has been permitted by the CPCB / Gujarat quantity that has been permitted by the CPCB / State Pollution Control Board (GPCB). Gujarat State Pollution Control Board (GPCB). The main operational site shall be kept **Noted for compliance** 42 covered by tarpaulin with separate rain water collection system during monsoon period. **Noted for Compliance** Used oil shall be sold only to the registered 43 recyclers. GACL shall sell used oil only to the registered recyclers as and when generated. Project proponent shall explore possibilities Noted 44

with respect to reduction and reuse of

	GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej		
	Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for the period: 1 st April 2024 to 30 th September 2024.		
Sr No.	EC conditions	Compliance Status	
	hazardous waste generated by them and received at the project site.	Possibilities of utilization of hazardous waste generated by GACL is being explored.	
A. 5. S.	AFETY:		
46	All necessary precautionary measures shall be taken to avoid any kind of accident during storage and handling of hazardous wastes.	All the necessary precautionary measures are being taken to avoid any kind of accident during storage and handling of hazardous wastes.	
47	Handling and storage of wastes shall be done in such a manner that minimal human exposure occurs.	Handling and storage of wastes is ensured in such a manner that minimal human exposure occurs. Manual handling of waste is eliminated/minimised to the extent possible by way of following measures and wherever manual intervention is required for handling of waste, it will be arranged through trained manpower. 1. Hywa with hydraulic mechanism are engaged for transporting waste. 2. Poclain is mobilized for unloading waste from hywa at SLF site.	
48	All transportation of hazardous materials shall be as per the Motor Vehicle Act & Rules.	Complied	
49	Personal Protective Equipment shall be provided to workers and its usage shall be ensured and supervised.	Necessary PPE's to the workers handling the hazardous waste is provide regularly. It is also supervised that they use PPE's in routine job.	
50	First Aid Box and required Antidotes for the chemicals used in laboratory shall be made readily available in adequate quantity at all the times.	Complied First aid box is provided and maintained as required.	
51	Training shall be given to all workers on safety and health aspects of handling hazardous wastes.	Training to all concerned workers @ occupational safety and health aspects of handling hazardous wastes is being provided.	
52	Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per	Pre-medical check-up and periodical medical	

GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej		
Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for the period: 1 st April 2024 to 30 th September 2024.		
Sr No.	EC conditions	Compliance Status
	the Factories Act and Rules. Pre- employment and periodical medical examination for all workers shall be undertaken as per statutory requirement.	examination of workers is ensured on a regular basis and records are maintained.
53	Project proponent shall prepare and implement an On-Site Emergency Management Plan and Disaster Management Plan (DMP) for the project as per the guidelines from Directorate of Industrial Safety and Health. Adequate fire-fighting facilities shall be installed to handle the fire.	Noted for Compliance
A. 6. N		
54 A.7. GF	The overall noise level in and around the premises shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules. REEN BELT AND OTHER PLANTATION: Project proponent shall develop green belt all along the periphery of the TSDF as per the CPCB guidelines with plant species that are significant and used for the pollution abatement. Drip irrigation system shall be	No manufacturing activities/process are carried out at this site. Noise monitoring is being carried out through NABL accredited and GPCB approved agency M/s. Unistar Environment and Research Labs Pvt. Ltd. Overall noise level is within the prescribed limit. Noted for compliance Appropriate green belt with plant species that are significant and used for the pollution abatement is under development stage. It is being developed in
56	used for the green belt for optimum utilization of the water resources. Project proponent shall also tie up with local agencies like gram panchayat, schools, social forestry office etc. for plantation at suitable open places in nearby villages and shall submit an action plan of plantation for next five years to the GPCB.	phased manner as the site is under development stage. Complied Consultation with local agencies like gram panchayat, schools, social forestry office etc. for plantation at suitable open places in nearby villages is done timely as and when required.
B.	OTHER CONDITIONS	1 1
57	All the recommendations, mitigation measures, environmental protection measures and safeguards proposed in the EIA report of the project prepared by Eco	All the recommendations, mitigation measures, environmental protection measures and safeguards

Chem Sales and Services and submitted by proposed in the EIA report of the project prepared

	GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for th	
Sr No.	EC conditions	Compliance Status
	project proponent and commitments made during presentation before SEAC and proposed in the EIA report shall be strictly adhered to in letter and spirit.	by Eco Chem Sales and Services and submitted by project proponent and commitments made during presentation before SEAC and proposed in the EIA report are being strictly adhered to as per feasibility realised for current scenario of the site.
58	Unit shall comply all the applicable standard conditions prescribed in Office Memorandum (OM) published by MoEF&CC: —vide no. F. No. 22-34/2018-1A.111 dated 09/08/2018.	Relevant standard condition for SLF is not mentioned in said Memorandum (OM) published by MoEF&CC vide no. F. No. 22-34/2018-1A.111 dated 09/08/2018.
59	In case of use of spray dryer, the unit shall provide the adequate & efficient APCMs with spray dryer so that they should not be any adverse impact on human health & environment. Unit shall carry out third party monitoring of the proposed Spray dryer & it's APCM through the credible institutes and study report for impacts on Environment and Human. 'Health shall be submitted to GPCB every year along with half yearly compliance report.	As per our proposal spray dryer is neither proposed nor installed at the site.
60	The project proponent shall allocate the separate fund of Rs. 71.04 Lakhs i.e. 2 % of the capital investment for Skill development of women through Anganwadi, Facility for Drinking Water in nearby villages, Medical camp at nearby villages, Promote and distribution of nutrition food for patients in Village Health Centre, General awareness health program, Distribution of tree guard, sapling and pots, Training and awareness programme in school on Environment and Safety Day, Scientific support and awareness to local farmers to increase yield of crop at Farmers Toll free services in accordance to the MoEF&CC's Office Memorandum No. F.No.22-6512017-1A.111 dated 01/05/2018. The entire activities proposed under CER shall be monitored and the monitoring report shall be submitted to the regional office of MoEF&CC as a part of half-yearly	Noted for compliance

Cm Na	EC conditions	Compliance Status
Sr No.		Compliance Status
	compliance report and to district collector. The monitoring report shall be posted on the	
	website of the project proponent.	
	website of the project proponent.	Noted for compliance
		Noted for compliance
61	In the event of failure of any pollution control system adopted by the unit, the unit shall be safely closed down and shall not be restarted until the desired efficiency of the control equipment has been achieved.	Available pollution control system is being monitored regularly for efficiency and adequacy. In the event of failure of any pollution control system adopted by the unit, we 'll safely close down the facility and it shall not be restarted until the desired efficiency of the control equipment has been achieved.
		Complied.
62	All the recommendations / commitments made in the EIA/EMP report of the project shall be implemented.	All the recommendations/commitments made in the EIA/EMP report of the project are being strictly adhered to as per feasibility realised for current scenario of the site. Currently following applicable recommendations are complied with- GPS mounted dedicated vehicle are utilized for transportation of Hazardous waste. Waste during its transportation is kept covered to avoid leakage or spillage. Usage of hydraulic hywa is being used for transportation of hazardous waste that prevent manual handling. Modular STP provided. Periodic monitoring of ground water is carried out at regular interval. etc.
63	The project authorities must strictly adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.	Noted GACL shall adhere to the stipulations made by the Gujarat Pollution Control Board (GPCB), State Government and any statutory authority.
64	During material transfer, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic wastewater or storm water.	Sludge is being transferred via mechanised arrangement i.e. poclain directly into SLP pit. Drain is provided to channelise the storm water separately.

Sr No.	EC conditions	Compliance Status
65	Pucca flooring / impervious layer shall be provided in the work areas, chemical storage areas and chemical handling areas to minimize soil contamination.	Noted The SLF site is meant for only disposal of sludge and there is no other activity which involves chemical storage and handling carried out at this site.
66	The funds earmarked for environment protection measures shall be maintained in a separate account and there shall not be any diversion of these funds for any other purpose. A year-wise expenditure on environmental safeguards shall be reported.	Complied. The funds for environment protection measures have been reserved. During last year following key environment protection measures have been implemented at site. 1.Modular STP has been provided. 2.RCC flooring near ETP developed. 3. GIDC drainage connection related requirements have been fulfilled. Ex provision of TOC analyser. 4. Environment monitoring through GPCB recognized and NABL accredited laboratory. 5. Storm water drain construction.
67	Project proponent shall obtain necessary Consents/ Authorization from the Gujarat Pollution Control Board.	CCA for usage of SLF pit 1 had been obtained from GPCB vide AWH- 117459 dtd 11/03/2022. CCA for SLF pit 2 has been granted by GPCB vide WH-131066 dtd 18.12.2023.
68	Unit shall carry out regular monitoring of work zone area and Air vents during active and post closure period as per the prevailing guidelines shall maintain records of the same.	Ambient air quality monitoring is carried out through NABL accredited and GPCB approved agency M/s. Unistar Environment and Research Labs Pvt. Ltd. Measured values are well within the limit. Appropriate vents shall be installed and monitored during site post closure phase.
69	A Separate Environment Management Cell equipped with full-fledged testing laboratory facilities shall be set up to carry out the Environment Management and Monitoring functions.	Complied

SEIAA/	SEIAA/GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for the period: 1 st April 2024 to 30 th September 2024.		
Sr No.	EC conditions	Compliance Status	
70	Project proponent shall comply with all the provisions of CPCB guidelines for TSDF as may be applicable from time to time.	All the provisions of CPCB guidelines for TSDF as applicable for the SLF site are being complied.	
71	Project proponent shall maintain accurate records of their waste generation in respect of quantity of each product manufactured, quantities and qualities of waste generated, booked & supplied to the TSDF on day-to-day basis and shall submit the compiled records to the GPCB on monthly basis.	Record of quality and quantity of wastes generated from GACL and its subsidiary unit is being maintained.	
72	Project proponent shall make sure that they provide hazardous waste storage area having adequate retention time.	We are receiving landfill waste from GACL Dahej complex only and there is not any hazardous waste generation due to this landfilling activity.	
73	Good housekeeping shall be maintained within the premises. All pipes, valves and drains shall be leak proof. Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly. Floor washing shall be admitted in to the effluent collection system for subsequent treatment and disposal.	Complied The site is operating at initial phase with least activity which may lead to spillage and leakage. Hence there is least or no chance of such event.	
74	Necessary measures shall be taken to prevent contamination of storm water from wastes / effluent handled at site. The storm water drains shall be kept separate and shall remain dry throughout the year except monsoon.	Sludge is being transferred via mechanised arrangement i.e. poclain directly into SLF pit. Hence there is least chances of contamination. Presently Kaccha drain is provided to channelise the storm water separately.	
75	Project proponent shall intimate the GPCB about occurrence of any accident, act or event resulting in discharge of poisonous, noxious or polluting matter or the likelihood of the same into a stream or land or well.	Noted for compliance	
76	Project proponent shall assign specific budget for socio-economic upliftment of the surrounding villages and shall undertake eco-developmental measures including community welfare program most useful in the project area for the overall improvement	Noted for compliance The budget for socio-economic upliftment of the surrounding villages has been reserved.	

Sr No.	EC conditions	Compliance Status
22 2100	of the environment in consultation with the District Development Officer / District Collector.	Companies Suites
77	Project proponent shall comply with all the recommendations as well as the environmental protection measures and risk mitigation measures/safeguards proposed in the REIA Report, Risk Assessment Report & Disaster Management Plan of the project.	All the recommendations/commitments made in the EIA/EMP report of the project are being strictly adhered to as per feasibility realised for current scenario of the site. Currently following applicable recommendations are complied with- • GPS mounted dedicated vehicle are utilized for transportation of Hazardous waste. • Waste during its transportation is kept covered to avoid leakage or spillage. • Usage of hydraulic hywa is being used for transportation of hazardous waste that prevent manual handling. • Soak pit/modular STP provided. • Periodic monitoring of ground water is carried out at regular interval. etc.
78	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the SEIAA /SEAC.	Noted for compliance
79	Project proponent shall thrive to obtain the ISO 14001 and OSHAS 18001 certification.	Noted for compliance
80	The project management shall extend full support to the officers of MoEF&CC / CPCB / GPCB during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Noted
81	Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.	Presently the site is operating at initial phase with least activity which may lead to spillage and leakage. Hence there is least or no chance of such event. However, Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly.

SEIAA/GUJ/EC/7(d)/482/2020 dated 5 th June 2020 for the period: 1 st April 2024 to 30 th September 2024.			
Sr No.	EC conditions	Compliance Status	
82	No further expansion or modifications in the TSDF likely to cause environmental impacts shall be carried out without obtaining prior Environment Clearance from the concerned authority.	Agreed	
83	The above conditions will be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act,1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted	
84	The project proponent shall comply all the conditions mentioned in "The Companies (Corporate Social Responsibility Policy) Rules, 2014" and its amendments from time to time in a letter and spirit.	CSR of GACL is being taken care in letter and spirit by CSR wing (GES - GACL Education Society).	
85	The project management shall ensure that unit complies with all the environment protection measures, risk mitigation measures and safeguards recommended in the EMP report and Risk Assessment study report as well as proposed by project proponent.	All the recommendations/commitments made in the EIA/EMP report of the project are being strictly adhered to as per feasibility realised for current scenario of the site. Currently following applicable recommendations are complied with- • GPS mounted dedicated vehicle are utilized for transportation of Hazardous waste. • Waste during its transportation is kept covered to avoid leakage or spillage. • Usage of hydraulic hywa is being used for transportation of hazardous waste that prevent. manual handling. • Soak pit/modular STP provided. Periodic monitoring of ground water is carried out at regular interval. etc.	
86	The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as GPCB along with the implementation schedule for all the conditions stipulated herein. The funds so	Noted for compliance The conditions stipulated by SEIAA as well as GPCB is being complied. Necessary funds are being allocated to fulfil the requirements.	

GUJARAT ALKALIES AND CHEMICALS LIMITED Plot D- III/3, Dahej Status of Six-Monthly compliance of the stipulated conditions of the Environment Clearance no SEIAA/GUJ/EC/7(d)/482/2020 dated 5th June 2020 for the period: 1st April 2024 to 30th September 2024. **EC** conditions Sr No. **Compliance Status** provided shall not be diverted for any other purpose. 87 The applicant shall inform the public that the **Complied** project has been accorded environmental clearance by the SEIAA and that the copies Copy of the "PUBLIC NOTICE" complying with of the clearance letter are available with the the requirement is appended as below and the same GPCB and may also be seen at the Website ગુજરાત આલ્કલીઝ એન્ડ કેમિકલ્સ લિમિટેડ of SEIAA/ SEAC/ GPCB. This shall be GaCL (આઇએસઓ પ્રમાણિત કંપની) ૨૭. ઓ. : પી.ઓ,પેટ્રોકેમિકલ્સ-૩૯૧૩૪૬, જિ. : advertised within seven days from the date जाहेर सूयना of the clearance letter, in at least two local ગુજરાત અલ્કલીઝ એન્ડ કેમિકેલ્સ લિમિટેડ કંપની, દહેજ ને જોખમી કચરો ઉપચાર, સંગ્રહ, નિકાલ સુધિધા (ટીએસડીએક) ની સ્થાપના માટે પર્ચાવરણીય મંજૂરી મળેલ છે. આ જાહેરાતનો newspapers that are widely circulated in the મુખ્ય ઉદ્દેશ્ય લોકોને જાહેર કરવાનું છે કે રાજ્ય પર્ચાવરણીય અસર આકારણી અધિકારી region, one of which shall be in the Gujarati (એસઇઆઈએ) એ પ્લોટ નંબર પર 5,66,093 મેટ્રિક ટન ક્ષમતાની સૂચિત ટીએસડીએક્ સુવિધા માટે પર્યાવરણીય મંતૂરી (ઇસી) આપી છે. કી ॥૫૩ રહેજ GIDC, તાલુકોઃ વાગરા, language and the other in English. A copy જિલો: ભરૂચ, ગુજરાત. each of the same shall be forwarded to the पर्यापरशीय मंतूरीने तेमना पत्र नंभर SEIANGUU/EC/7(d)/482/2020, ता. 5 तून, 2020 ના રોજ આપવામાં આવી છે. જણાવેલ પર્યાવરણીય મંજૂરીની ફોટોકોપી ગુજરાત પ્રદૂષણ concerned Regional Office of the Ministry. નિયંત્રણ બોર્ડ પાસે ઉપલબ્ધ છે, જે સ્ટેટ એન્વાયર્નમેન્ટ ઇમ્પેક્ટ એસેસમેન્ટ ઓથોરિટી (એસઈઆઈએ), ગુજરાતની વેબસાઈટ https://seiaa.gujarat.gov.in/. પર જોઈ શકાય છે. **Gujarat Alkalies and Chemicals Limited** GaCL REGD, OFFICE: P. O. PETROCHEMICALS - 391346, DIST, VADODARA, INDIA CIN No.: L24110GJ1973PLC002247 **PUBLIC NOTICE** Gujarat Alkalies and Chemicals Itd. (GACL) Dahej, has been accorded with Environmental Clearance for setting up of Hazardous Waste Treatment, Storage, Disposal Facility (TSDF). This is to inform Public at large that the State Environmental Impact Assessment Authority (SEIAA), has accorded Environmental Clearance (EC) for the Proposed TSDF facility of 5,66,093 Metric Ton capacity at Plot NO. D III/3, Dahej GIDC, Taluka: Vagra, District: Bharuch, Gujarat. The Environmental Clearance has been given vide their letter No.SEIAA/GUJ/EC/7(d)/482/2020, dated 5th June, 2020. Photocopy of the Environmental Clearance is available with Gujarat Pollution Control Board and the same can also be seen on website of State Environment Impact Assessment Authority, Gujarat at is also posted on GACL website.

The project proponent shall also compl

88

89

The project proponent shall also comply	Agreed
with any additional condition that may be	
imposed by the SEAC or the SEIAA or any	
other competent authority for the purpose of	
the environmental protection and	
management.	
It shall be mandatory for the project	Complied
management to submit half-yearly	
compliance report in respect of the stipulated	GACL is regularly submitting six monthly EC
prior environmental clearance terms and	compliance report to the concerned authority.
conditions in soft copies to the regulatory	
authority concerned, on 1stJune and 1st	
December of each calendar year.	

Sr No.	EC conditions	Compliance Status
90	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted
91	The project authorities shall also adhere to the stipulations made by the Gujarat Pollution Control Board.	Noted for compliance
92	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not found satisfactory.	Noted
93	The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary.	Noted
94	The project authorities shall inform the GPCB, Regional Office of MoEF&CC and SEIAA about the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted
95	This environmental clearance is valid for seven years from the date of issue.	Noted
96	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
97	Submission of any false or misleading information or data which is material to screening or soaping or appraisal or decision on the application makes this environment clearance cancelled.	Noted